

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**


# ASPHALT REHEAT SYSTEMS

**NEW BLUE FLAME TECHNOLOGY  
MAKES COLD JOINTS  
NON-EXISTENT!**

FULLY AUTOMATIC HEATERS THAT  
EFFICIENTLY HEAT SEAMS TO THE FULL  
DEPTH WITHOUT BURNING THE ASPHALT.

WITH THE HEAT THESE PUT OUT THERE'S  
NO NEED FOR PRE-HEATERS! FIG. 1

© 2001 Blue Flame Technology




- LOW PRESSURE, LOW FUEL USE
- LIGHTWEIGHT STAINLESS STEEL BOXES
- EACH HEATER WEIGHS LESS THAN 60 LBS
- VERY LITTLE POWER REQUIRED TO RUN
- NO GENERATORS OR LARGE BATTERIES REQUIRED
- EASILY TRANSPORTABLE
- MAINTAIN JOINT TEMP OF 250 DEGREES AT PAVING SPEEDS OF 50 FEET PER MINUTE WITH NO PRE-HEATERS!




FIG. 2 [WWW.ASPHALTREREAT.COM](http://WWW.ASPHALTREREAT.COM)


CALL 1-877-4REHEAT OR 608-298-9301 FOR MORE INFO

FIG. 3A






**FIG. 4**



**FIG. 5**

**FIG. 7**



**FIG. 7**

